



VILA

Siphonic urinal, internal water inlet, version for cover

DIMENSIONS

Length	310 mm
Width	280 mm
Height	490 mm

COLOUR AND FINISH

☐ 000 White

OPTIONS

000 - standard option

SPECIFICATION TEXT

Siphonic urinal LAUFEN VILA, sanitary ceramic, EN 13407, dimensions 310 x 280 x 490 mm, only to be used with cover, 1-l flush, water inlet concealed, outlet horizontal, flushing rate minimum, 0,3 l/s, Special feature: Vacuum and performance tested, Further options / accessories: Surface refinement LCC (only white), with fly, horizontal inlet connection, 1-litre siphon with horizontal outlet DN 50, (standard Europe, except CH and UK) and outlet DN 40 (standard CH), 2-litre siphon with horizontal outlet DN 40 (standard UK), urinal cover, Order no. 84114.1

MOUNTING ACCESSORIES INCLUDED

Wall fixing set M8 LAUFEN, order no. 89280.8

MOUNTING ACCESSORIES EXCLUDED

horizontal inlet connection, order no. 89009.7 1-litre siphon with horizontal outlet DN 50 (standard Europe, except CH and UK), order no. 89418.1 1-litre siphon with horizontal outlet DN 40 (standard CH), order no. 89418.2 2-litre siphon with horizontal outlet DN 40 (standard UK), order no. 89418.3
Stone screw fixing set M8

Fixing kit : Included


Net weight (kg) : 14

Water inlet position : Back horizontal

Minimum flushing quantity (l) : 1

Power supply type : Mains operated

TECHNICAL DRAWINGS



COMPATIBLE WITH



Installation system LIS CU2
for urinals without
integrated control unit

H8926640000001



Cover for urinal with
lowering system

H894142...0001

VILA

The vila urinal cuts a dashing figure, both technically and visually. The original complex of curves, angles and a trapezoidal opening conceals a 1-litre siphonic urinal. In comparison to a conventional WC, that uses at least 3 litres for a small flush, vila therefore saves a lot of water and money.

